

Othon KAMARIOTIS
Serial No. 10/539,414
February 18, 2010

AMENDMENTS TO THE SPECIFICATION:

Page 1, immediately preceding paragraph [0001], insert the following heading and sub-heading:

BACKGROUND

1. Technical Field

Page 1, immediately following paragraph [0001], insert the following sub-heading:

2. Related Art

Page 1, paragraph [0002]:

[0002] It is known to capture video images using digital cameras for such things as security whereby a camera may be used to view an area, [[then]] the signal being transmitted to a remote location or stored in a computer storage medium. Several cameras are often used to ensure a reasonable resolution of the [[are]] area being viewed and zoom facilities enable real-time close up images to be captured. Different viewing angles may be provided co-temporaneously to enable the same scene to be viewed from differing angles.

Page 1, paragraphs [0004]-[0005]:

[0004] Smaller display devices such as pocket personal computers, such as Hewlett Packard® PPCs® or Compaq® IPAQ® computers also have relatively high resolution display screens which are in practice relatively small for most film or camera images covering surveillance areas for example.

Othon KAMARIOTIS
Serial No. 10/539,414
February 18, 2010

[0005] Even smaller viewing screens are likely to be provided on compact mobile phones for example Sony Ericsson® T68i® mobile phones which include sophisticated reception and processing capabilities allowing colour images to be received and displayed by way of mobile phone networks.

Page 2, immediately preceding paragraph [0010], insert the following heading:
BRIEF SUMMARY

Page 2, paragraph [0010]:

[0010] According to the present ~~invention~~ exemplary embodiment, there is provided a method of streaming video signals comprising the steps of capturing and/or storing a video frame or a series of video frames each frame comprising a matrix of "m" pixels by "n" pixels, compressing the or each said m by n frame to a respective derived frame of "p" pixels by "q" pixels, where p and q are respectively substantially less than m and n, for display on a screen capable of displaying a frame of at least p pixels by q pixels, transmitting the at least one derived frame and receiving signals defining a preferred selected viewing area of less than m by n pixels, compressing the selected viewing area to a further derived frame or series of further derived frames of p pixels by q pixels and transmitting the further derived frames for display characterised in that the received signals include data defining a preferred location within the transmitted further derived frame which determines the location within the m pixel by n pixel frame from which the next further derived frame is selected.

Page 4, immediately preceding paragraph [0022], insert the following heading:
BRIEF DESCRIPTION OF THE DRAWINGS

Othon KAMARIOTIS
Serial No. 10/539,414
February 18, 2010

Page 4, immediately preceding paragraph [0033], insert the following heading:

DETAILED DESCRIPTION OF EXEMPLARY EMBODIMENTS

Page 19, top center of page: delete "CLAIMS" and insert the following heading:

WHAT IS CLAIMED IS: